

COSMO 18/10 STAINLESS STEEL SINK  
CSM9602L/



Size: 960 x 500 mm

A seamless finished design with a unique brushed patterned drainer, the Cosmo sink stands out from the crowd. Its generous deep bowls feature a dramatic 10mm radii corner, which are complemented with the addition of a new upgraded waste kit and cover to provide a sleek contemporary finished look when installed.

- Micro-sheen finish
- Handed drainer design
- Low profile edge with seamless finish
- Hygienic rectangular overflow design
- Waste kit and cover included



RANGEMASTER  
SINKS & TAPS

Material	18/10 Stainless Steel
Material Gauge	1.0
Material Finish Bowl	Micro-Sheen™ Soft Brushed Finish
Material Finish Drainer	Micro-Sheen™ Soft Brushed Finish
Drainer Position	Left hand
Overall Length (mm)	960
Overall Width (mm)	500
Main Bowl Length (mm)	350
Main Bowl Width (mm)	400
Main Bowl Depth (mm)	200
Second Bowl Length (mm)	180
Second Bowl Width (mm)	400
Second Bowl Depth (mm)	140
Tap hole Size (mm)	1 x 35
Waste Size (mm)	2 x 90
Waste Kit	Included with sink (2 x 90 BSW, overflow kit & waste cover)
Min. Base Unit (mm)	600
Cutout Size Length (mm)	940
Cutout Size Width (mm)	480
Warranty Sinks (years)	10
Product Code	CSM9602L/
Barcode	5015834055640

**COSMO 18/10 STAINLESS STEEL SINK**  
CSM9602L/

Technical drawing of the front view of a rectangular clip frame. The drawing includes the following dimensions and labels:


- Overall Dimensions:**
  - Width: 960
  - Height: 500
- Internal Dimensions and Spacing:**
  - Left internal width: 370
  - Distance between internal vertical lines: 180
  - Right internal width: 350
  - Top internal height: 45.5
  - Distance between horizontal lines: 110
  - Distance from top edge to first horizontal line: 77.5
  - Distance from bottom edge to first horizontal line: 312.5
  - Distance between horizontal lines: 400
- Labels and Features:**
  - Clip Frame:** Label pointing to the outer dashed border.
  - Ø90:** Dimension for the circular hole diameter.
  - Ø114:** Dimension for the circular hole diameter.
  - R10:** Radius dimension for the fillet on the bottom corners.
  - R12:** Radius dimension for the fillet on the top right corner.
  - 32:** Dimension for the small circular feature at the top center.
  - 198:** Dimension for the distance from the center of the right hole to the right edge.
  - 478:** Dimension for the distance from the center of the right hole to the bottom edge.
  - 392.5:** Dimension for the distance from the left edge to the center of the left hole.
  - 15:** Dimension for the distance from the bottom edge to the bottom of the internal frame.



AGA Rangemaster continuously seeks improvements in specification, design and production of products and thus, alterations take place periodically. Whilst every effort is made to produce up-to date resources, the information included here is intended as a guide. Always refer to the product's installation instructions when fitting, installation work should be completed a professional tradesman.

## CSM9602L/

Dimensions in mm. Not to scale.



AGA Rangemaster continuously seeks improvements in specification, design and production of products and thus, alterations take place periodically. Whilst every effort is made to produce up-to date resources, the information included here is intended as a guide. Always refer to the product's installation instructions when fitting, installation work should be completed a professional tradesman.