

# VSTR3434-2

Sink material Stainless steel  
 Type Side by side undermount bowls  
 No. of bowls 2  
 EAN code 8017709190576



## Aesthetics



Aesthetic Universale  
 Colour Stainless steel  
 Finishing Brushed  
 Series Mira

Building in type Undermount  
 Logo Embossed  
 Tap hole / precut tap hole No Taphole

|         | Bowl type RH   | Bowl thickness (mm) | Bowl dimensions, WxDxH (mm) | Bowl depth (mm) | Radius corner right bowl (mm) | Overflow          | Strainer position | Strainer dimension |
|---------|----------------|---------------------|-----------------------------|-----------------|-------------------------------|-------------------|-------------------|--------------------|
| RH Bowl | Minimum radius | 1                   | 340 x 400 x 200             | 200             | 15                            | Yes, flush fitted | Wall position     | 3.5"               |
| LH Bowl | Minimum radius | 1                   | 340 x 400 x 200             | 200             | 15                            | Yes, flush fitted | Wall position     | 3.5"               |

## Technical Features




Frame thickness 1 mm  
 Dimensions of the product (mm) 200x802x472 mm  
 Cutout dimension undermount (mm) 411\*740 mm  
 Base unit size 90 cm

Tap hole diameter 35 mm  
 Dividing wall width 48 mm  
 No. of clips 8  
 Type of clips Undermount clip

## Accessories included

## Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips



---

## Compatible Accessories

---



**3713**

Siphon double bowls sinks (dishwasher connection included)



**DB34**

St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth



**KITFD050**

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**KITFD075**

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**KITFD100**

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**RND1V**

Rondò waste kit 1 bowl with standard overflow

---

## Symbols glossary

---



Cupboard width required for sink installation.



Sink depth - depending on the model, the depth can be from 13 to 24,5.



Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink.